UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/806,756	03/22/2004	Dimitri Wasil Kemper	P/334-197	2432
2352 7590 02/28/2007 OSTROLENK FABER GERB & SOFFEN 1180 AVENUE OF THE AMERICAS NEW YORK, NY 100368403			EXAMINER	
			SCHNEIDER, CRAIG M	
NEW TORK, N	1 100308403		ART UNIT	PAPER NUMBER
			3753	
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVER	Y MODE
3 MON	ITHS	02/28/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		<i>'N</i>					
	Application No.	Applicant(s)					
	10/806,756	KEMPER ET AL.					
Office Action Summary	Examiner	Art Unit					
	Craig M. Schneider	3753					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet w	ith the correspondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a vill apply and will expire SIX (6) MOI cause the application to become A	CATION. reply be timely filed  NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).					
Status							
1)⊠ Responsive to communication(s) filed on 18 Ja	nuary 2007.						
2a) This action is FINAL. 2b) This action is non-final.							
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under E	x parte Quayle, 1935 C.	D. 11, 453 O.G. 213.					
Disposition of Claims							
4)⊠ Claim(s) <u>1-6</u> is/are pending in the application.							
4a) Of the above claim(s) <u>2-4</u> is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.	5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1 and 5-6</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.	·					
10) $\boxtimes$ The drawing(s) filed on <u>1/18/07</u> is/are: a) $\boxtimes$ acc	•						
Applicant may not request that any objection to the		· ·					
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	·						
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C.	§ 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents	s have been received in A	Application No					
3. Copies of the certified copies of the prior	•	n received in this National Stage					
application from the International Bureau	•	A constituted					
* See the attached detailed Office action for a list	of the certified copies no	t received.					
·							
Attachment(s)	,, <b>—</b>	Surrey (DTO 445)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) (s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08)		Informal Patent Application					
Paper No(s)/Mail Date	6) 🔲 Other:						

Application/Control Number: 10/806,756 Page 2

Art Unit: 3753

### **DETAILED ACTION**

#### Election/Restrictions

- 1. Claims 2-4 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made without traverse was confirmed in the reply filed on 1/18/07.
- 2. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

# Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Application/Control Number: 10/806,756

Art Unit: 3753

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1 and 5-6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lachaux (4,386,627) in view of Böke (WO 01/07356).

Lachaux discloses an expansion tank (10) which is intended to be connected to a pipe system which is filled or is to be filled with a liquid, comprising a closed tank with at least one connection opening (17) for a liquid pipe, the tank being provided with a main valve (25) inside the tank, the main valve having a first valve seat (18) and a first closure member (26) which interacts with the first valve seat and being designed to close off the connection opening at a defined difference between the pressure in the interior of the tank and the pressure in the connection opening and/or at a defined liquid level in the tank (col. 4, lines 10-58 and col. 6, lines 10-52). Lachaux does not disclose an additional valve for closing off a channel or passage which extends through the first closure member of the main valve from the interior of the tank to the connection opening when the main valve is in a closed position, which additional valve is closed during normal operation of the expansion tank when connected to a pipe system filled with liquid and is open when the difference between the pressure in the interior of the tank and the pressure in the connection opening is higher than the original pressure in the expansion tank when the expansion tank is delivered ex works. Böke (utilizing US Patent 6,682,316 as translation) discloses an additional valve (42') for closing off a channel or passage which extends through the first closure member of the main valve from the interior of the tank to the connection opening when the main valve is in a

closed position, which additional valve is closed during normal operation of the expansion tank when connected to a pipe system filled with liquid and is open when the difference between the pressure in the interior of the tank and the pressure in the connection opening is higher than the original pressure in the expansion tank when the expansion tank is delivered ex works (col. 3, lines 9-38). Regarding claim 5, Lachaux/Böke do not disclose that the first closure member is provided with a sealing ring. Böke discloses that the first closure member comprises a sealing ring (20)(col. 2, lines 1-4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the check valve of Böke onto the main valve of Lachaux, in order to prevent damage to the system as taught by Böke (col. 3, line 31).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the sealing ring on the closure member of Böke onto the first closure member of Lachaux, in order to have a better seal.

Regarding claim 6, it would have been obvious to one having ordinary skill in the art to make the sealing ring out of a rubber, in order to ensure a proper seal.

## Response to Arguments

6. Applicant's arguments with respect to claims 1 and 5 have been considered but are most in view of the new ground(s) of rejection.

### Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig M. Schneider whose telephone number is (571) 272-3607. The examiner can normally be reached on M-F 8:30 -5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eric Keasel can be reached on (571) 272-4929. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/806,756 Page 6

Art Unit: 3753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CMS CMS February 22, 2007

ERIC KEASEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700